



171512344212




检测报告



检测类别：自行检测

报告日期：2021年08月12日



SYHI/CY-P-05 (00)

031

21.07.2021

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03

03. 03. 03. 03.

Figure 1 is a 3D bar chart illustrating the distribution of cases across different age groups and sexes. The x-axis represents age groups (0-14, 15-24, 25-34, 35-44, 45-54, 55-64, 65-74, 75-84, 85+). The y-axis represents sex (Male, Female). The z-axis represents the number of cases (0 to 1000). The chart shows a general trend of decreasing cases with increasing age, with a notable peak in the 15-24 age group for both sexes.

Figure 1: Schematic representation of the experimental design. The diagram illustrates the flow of information in a word classification task. It is divided into three main sections: Stimulus, Response, and Feedback. In the Stimulus section, a sequence of words (cat, dog, bird, fish, insect, mammal, reptile, amphibian) is presented. In the Response section, the subject provides a classification (cat, dog, bird, fish, insect, mammal, reptile, amphibian). In the Feedback section, the correct classification is provided (cat, dog, bird, fish, insect, mammal, reptile, amphibian). The diagram shows the sequence of events for multiple trials.

[illegible]

Figure 1 is a schematic diagram of the experimental setup. It shows a subject seated at a table, looking at a video screen. A video camera is positioned above the screen. A horizontal bar is placed on the table, with a vertical rod attached to it. The rod is connected to a motor unit. The motor unit is connected to a power source. The video screen displays the visual feedback of the hand position.

11

检测项目	检测点位	检测结果			检测日期	采样日期
		第一次	第二次	第三次		
PM ₁₀ (mg/m ³)	下风向 1#	0.58	0.59	0.55	2021.07.30	
PM ₁₀ (mg/m ³)	下风向 2#	0.57	0.56	0.56	2021.07.30	

有组织废气检测结果附表 1

检测点位	检测项目	检测结果			采样日期
		第一次	第二次	第三次	
1#	废气流量 (L/s)	0.67	0.67	0.67	2021.07.30
	NO _x 实测浓度 (mg/m ³)	95	113	71	
	折算后浓度 (mg/m ³)	96	96	61	
	排放速率 (kg/h)	0.099	0.096	0.614	
	颗粒物实测浓度 (mg/m ³)	6.6	6.6	6.3	
2#	NO _x 实测浓度 (mg/m ³)	94	94	94	2021.07.30
	折算后浓度 (mg/m ³)	94	94	94	

山东一兰环境测试分析有限公司

检测报告

有组织废气检测结果表2

采样点	采样时间	废气流量 (Nm ³ /h)	氧浓度 (%)
1	2023-08-10 10:00	19169	10.3
2	2023-08-10 10:05	19845	10.5
3	2023-08-10 10:10	19474	10.2

		折算后浓度(mg/m ³)	1.5	1.4	1.9		
		排放标准值(mg/m ³)	10	10	15		

SVHT/CVA-DU-250 (M)

山东三益环保科技有限公司

上 人 侧 报 告

有组织废气检测结果（续表）

Figure 1: Schematic diagram of the experimental setup for the study on the effect of the initial concentration of the solution on the adsorption of heavy metal ions by activated carbon. The diagram shows a rectangular container with a liquid level. A box labeled 'Activated Carbon' is placed in the liquid. A vertical arrow points upwards from the bottom of the container, indicating the direction of the liquid level rise. The container is divided into four sections, each labeled with a concentration: 0.1M, 0.2M, 0.3M, and 0.4M. The liquid level is shown rising from left to right, corresponding to the increasing concentration. The container is labeled 'Experimental Setup'.

附主の右組は、
附衣の右組は、

[illegible]