



正本



05/09/2022 14:27

潍坊市生态环境局
潍坊市生态环境局
潍坊市生态环境局

Test Report

检字[2022]第 JS0075 号
Wo Test [2022] NO.JS0075

尚沃
Shang



委托单位

有限公司

样品名称
Sample

委托单位

检验类别

样品名称 地下水

潍坊振兴焦化有限

委托检验

尚沃检字[2022]第 JS0075 号检验报告附页

采样地点：潍坊振兴焦化有限公司地下水1#点位

样品编号：JS20220184

序号	检验项目	检验依据	单位	标准限值	检验结果	单项判定
1	色 (铂钴色度单位)	GB/T 5750.4-2006/1.1	/	/	≤5	/
	色 (铂钴色度单位)				10.0	

3	浑浊度	GB/T 5750.4-2006/2.1	NTU	/	≤0.3	/
---	-----	----------------------	-----	---	------	---

高锰酸钾指数 GB/T 5750.5-2006/1.1

pH GB/T 5750.4-2006/5.1 / / 7.94 / 5

总硬度 GB/T 5750.4-2006/7.1 mg/L 161 / /

序号	检测项目	检测方法	单位	检测结果	标准限值	备注
1	总砷	GB/T 14669-2008/GB 14669-2008.2	mg/L	7	0.5	20
2	总铬	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<0.05	20
3	六价铬	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.00E-1	20
4	铜	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
5	镍	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
6	锰	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
7	铁	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
8	锌	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
9	铝	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
10	镉	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
11	汞	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
12	铅	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
13	银	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
14	钼	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
15	钴	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
16	铀	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
17	钍	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
18	钨	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
19	铋	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
20	锑	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
21	碲	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
22	硒	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
23	铈	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
24	镧	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
25	铈	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
26	镧	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
27	铈	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
28	镧	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
29	铈	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
30	镧	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
31	铈	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
32	镧	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
33	铈	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
34	镧	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
35	铈	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
36	镧	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
37	铈	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
38	镧	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
39	铈	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
40	镧	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
41	铈	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
42	镧	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
43	铈	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
44	镧	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
45	铈	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
46	镧	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
47	铈	GB/T 14669-2008/GB 14669-2008.1	mg/L	1	<1.0E-1	20
48						

采样地点：潍坊振兴焦化有限公司地下水2#点位

样品编号：JS20220185

序号	检测项目	检测单位	单位	标准限值	检测结果	单项判定
6	石油类(以油当量计)	GB/T 37084-2008/L1	/	/	<3	/
7	苯	GB/T 37084-2008/L1	mg/L	/	484	/
8	甲苯	GB/T 37084-2008/L1	mg/L	/	781	/
9	乙苯	GB/T 37084-2008/L1	mg/L	/	122	/
10	邻二甲苯	GB/T 37084-2008/L1	mg/L	/	96.3	/
11	间二甲苯	GB/T 37084-2008/L1	mg/L	/	<0.03	/
12	对二甲苯	GB/T 37084-2008/L1	mg/L	/	<0.01	/
13	叔丁基苯	GB/T 37084-2008/L1	mg/L	/	<0.03	/
14	硝基苯	GB/T 37084-2008/L1	mg/L	/	<0.03	/
15	苯胺	GB/T 37084-2008/L1	mg/L	/	<0.03	/
16	苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
17	邻氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
18	间氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
19	对氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.05	/
20	2,4-二氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
21	2,6-二氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
22	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
23	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
24	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
25	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
26	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
27	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
28	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
29	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
30	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
31	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
32	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
33	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
34	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
35	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
36	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
37	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
38	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
39	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
40	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
41	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
42	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
43	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
44	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
45	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
46	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
47	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
48	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
49	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
50	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
51	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
52	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
53	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
54	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
55	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
56	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
57	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
58	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
59	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
60	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
61	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
62	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
63	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
64	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
65	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
66	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
67	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
68	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
69	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
70	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
71	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
72	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
73	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
74	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
75	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
76	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
77	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
78	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
79	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
80	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
81	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
82	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
83	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
84	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
85	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
86	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
87	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
88	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
89	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
90	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
91	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
92	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
93	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
94	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
95	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
96	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
97	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
98	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/
99	2,4,5-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	<0.03	/
100	2,4,6-三氯苯酚	GB/T 37084-2008/L1	mg/L	/	0.03	/

报告编号: JS00020105

序号	检测项目	检测方法	单位	结果	判定	备注
24	GB/T 2700.5-2006/4.1	mg/L	/	3.73	/	
25	GB/T 2700.5-2006/4.1	mg/L	/	<0.005	/	
26	GB/T 2700.5-2006/4.1	mg/L	/			
27	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
28	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
29	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
30	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
31	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
32	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
33	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
34	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
35	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
36	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
37	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
38	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
39	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
40	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
41	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
42	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
43	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
44	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
45	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
46	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
47	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
48	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
49	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
50	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
51	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
52	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
53	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
54	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
55	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
56	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
57	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
58	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
59	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
60	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
61	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
62	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
63	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
64	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
65	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
66	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
67	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
68	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
69	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
70	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
71	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
72	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
73	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
74	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
75	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
76	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
77	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
78	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
79	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
80	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
81	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
82	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
83	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
84	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
85	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
86	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
87	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
88	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
89	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
90	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
91	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
92	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
93	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
94	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
95	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
96	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
97	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
98	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
99	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	
100	GB/T 2700.5-2006/4.1	mg/L	/	<0.001	/	

20	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	20
21	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	21
22	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	22
23	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	23
24	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	24
25	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	25
26	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	26
27	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	27
28	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	28
29	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	29
30	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	30
31	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	31
32	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	32
33	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	33
34	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	34
35	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	35
36	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	36
37	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	37
38	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	38
39	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	39
40	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	40
41	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	41
42	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	42
43	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	43
44	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	44
45	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	45
46	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	46
47	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	47
48	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	48
49	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	49
50	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	50
51	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	51
52	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	52
53	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	53
54	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	54
55	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	55
56	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	56
57	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	57
58	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	58
59	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	59
60	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	60
61	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	61
62	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	62
63	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	63
64	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	64
65	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	65
66	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	66
67	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	67
68	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	68
69	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	69
70	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	70
71	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	71
72	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	72
73	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	73
74	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	74
75	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	75
76	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	76
77	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	77
78	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	78
79	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	79
80	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	80
81	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	81
82	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	82
83	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	83
84	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	84
85	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	85
86	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	86
87	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	87
88	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	88
89	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	89
90	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	90
91	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	91
92	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	92
93	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	93
94	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	94
95	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	95
96	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	96
97	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	97
98	总磷	GB/T 17093-2008/4.1	mg/L	/	0.1	/	98
99	氨氮	GB/T 17093-2008/4.1	mg/L	/	1	/	99
100	总氮	GB/T 17093-2008/4.1	mg/L	/	1	/	100

